
User Manuals for Models:

FI-2

| 2 Gallon Pump Up Foam Unit |

2010

READ ALL INSTRUCTIONS BEFORE OPERATING EQUIPMENT

INSTRUCTIONS

1. Release any remaining air pressure by twisting the pressure relief valve to the left ½ turn.
2. Unscrew the cap assembly from the tank.
3. Mix foaming chemical solution following the manufacturer's directions.
4. Fill tank with solution up to the first band, or 1 gallon of solution.
5. Replace cap assembly and tighten securely.
6. Turn pressure relief valve to the right and tighten to seal.
7. Pressurize tank by pumping approximately 15-20 times depending on amount of solution.
8. Grasp trigger gun, aim in safe direction and squeeze trigger to spray foam.
9. Must remove all pressure from unit before emptying or refilling.

NOTE

1. Operator should periodically lubricate the seals of the pump with food safe lubricants such as petroleum jelly, grease, vegetable oil. NEVER USE LUBRICANTS SUCH AS WD40.
2. After each use, run clean water through the unit and rinse all parts thoroughly with clean water.

HOW TO CHANGE WADDING IN SPRAY GUN AND WAND:

1. Unthread poly wand from spray gun.
2. Remove white wadding in poly wand and dispose of wadding (Item No.: WAAD-.625).
3. Remove washer (Item No.: PSG75W) in spray gun. Washer may be reused if in good condition.
4. Remove white wadding from spray gun and dispose of wadding (Item No.: WAAD-.5).
5. Insert new wadding (ItemNo.: WAAD-.5) and washer (ItemNo.: PSG75W) in spray gun.
6. Insert new wadding in poly wand (ItemNo.: WAAD-.625).
7. Attach poly wand onto spray gun.




WARNING



1. Always wear proper protective clothing and goggles when dealing with chemicals. Read chemical's MSDS sheet before using this unit.
2. Never point discharge spray wand toward anyone.
3. Depressurize unit after use.
4. DO NOT use solutions above 100°F (37.77°C).
5. Never carry tank by the hose, wand, or unlocked pump handle.

Model Number: FI-2



PARTS LIST	
EC-PU	CRIMP CLAMP FOR 900-2PU HOSE ASSEMBLY
HB1214	1/2in MPT X 1/4in HOSE BARB
PSG12	1/2in POLY SPRAY GUN W/ GRAY HNDL.
PSGORV	PSG12 VITON O RING
PUC2	PUMP UP CAP
PUHA2	PUMP UP HOSE ASSEMBLY - 40 INCH
PUPA2	PUMP UP PUMP ASSEMBLY
PUT2	PUMP UP TANK - 2 GALLON
PUTIP-BLK	PUMP UP TIP - BLACK
PUWAND	PUMP UP FOAMER WAND
QFL14-H	UNION ELBOW 1/4in TUBE X 1/4in TUBE WITH HOLE FOR PUMP UP
WAAD-.5	WADDING FOR PUMP-UP FOAMER - 1/2in DIA.
WAAD-.625	WADDING FOR PUMP-UP FOAMER - .625in DIA.